


Breitflachstahl warmgewalzt

S235JR - EN 10025




Breite b	Höhe h	Gewicht
mm	mm	Kg/m
200	5	8.00
160	6	7.68
170	6	8.16
180	6	8.64
200	6	9.60
220	6	10.60
250	6	12.00
300	6	14.40
350	6	16.80
400	6	19.20
160	8	10.20
170	8	10.90
180	8	11.50
200	8	12.80
220	8	14.10
250	8	16.10
280	8	17.90
300	8	19.20
350	8	22.40
400	8	25.60
500	8	32.00
160	10	12.80
170	10	13.60
180	10	14.40
200	10	16.00
220	10	17.60

Breite b	Höhe h	Gewicht
mm	mm	Kg/m
240	10	19.20
250	10	20.00
260	10	20.80
280	10	22.40
300	10	24.00
350	10	28.00
400	10	32.00
450	10	36.00
500	10	40.00
600	10	48.00
160	12	15.40
170	12	16.30
180	12	17.30
200	12	19.20
220	12	21.10
240	12	22.60
250	12	24.00
280	12	26.90
300	12	28.80
350	12	33.60
400	12	38.40
450	12	43.20
500	12	48.00
600	12	57.60
160	15	19.20
170	15	20.40

Stangenlänge 6.1m

Breitflachstahl warmgewalzt


S235JR - EN 10025



Breite b	Höhe h	Gewicht
mm	mm	Kg/m
180	15	21.60
200	15	24.00
220	15	26.40
240	15	28.80
250	15	30.00
260	15	31.20
280	15	33.60
300	15	36.00
350	15	42.00
400	15	48.00
450	15	54.00
500	15	60.00
600	15	72.00
160	20	25.60
170	20	27.20
180	20	26.80
200	20	32.00
220	20	35.20
240	20	38.40
250	20	40.00
260	20	41.60
280	20	44.80
300	20	48.00
350	20	56.00
400	20	64.00
450	20	72.00

Breite b	Höhe h	Gewicht
mm	mm	Kg/m
500	20	80.00
600	20	96.00
160	25	32.00
170	25	34.00
180	25	36.00
200	25	40.00
220	25	44.00
250	25	50.00
280	25	56.00
300	25	60.00
350	25	70.00
400	25	80.00
500	25	100.00
600	25	120.00
160	30	35.80
180	30	43.20
200	30	48.00
220	30	52.80
250	30	60.00
280	30	67.20
300	30	72.00
350	30	84.00
400	30	96.00
500	30	120.00
600	30	144.00
160	40	51.20

Stangenlänge 6.1m



Breitflachstahl warmgewalzt

S235JR - EN 10025

Breite b	Höhe h	Gewicht
mm	mm	Kg/m

180	40	57.60
200	40	64.00
220	40	70.40
250	40	80.00
300	40	96.00
350	40	112.00
400	40	128.00
500	40	160.00

Breite b	Höhe h	Gewicht
mm	mm	Kg/m

160	50	64.00
180	50	72.00
200	50	80.00
250	50	100.00
300	50	120.00
400	50	160.00
500	50	200.00

Stangenlänge 6.1m